

PRODUCT CATALOGUE



**ELEGANT
SUSTAINABLE
AFFORDABLE**


TABLE OF CONTENTS

PRODUCT CHARACTERISTICS

SIDINGS

SOFFITS

ACCESSORIES



INSPIRED BY THE NATURAL GRAIN OF WOOD, ALUZION SIDING COMBINES HIGH-END ELEGANCE WITH EXCEPTIONAL PERFORMANCE, INCLUDING OUTSTANDING WEATHER RESISTANCE.

Lightweight, easy to install and requiring very little maintenance, this cladding is available in two distinct collections to satisfy all of your design requirements:

With its exclusive INO-CLIP fastening system, ensures more secure installation and a refined, contemporary finish.




Lightweight, easy to install and requiring very little maintenance, this cladding is available in two distinct collections to satisfy all of your design requirements:



All Aluzion sidings and accessories feature these characteristics:

- 100% Aluminum & Recyclable
- UV Resistant, Non-Combustible & Corrosion Resistant
- Non-Porous, Insect-Proof & Low Maintenance
- Lightweight & Easy to install
- 25-year Warranty
- Can be installed vertically & horizontally

5" SMOOTH PLANK



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.76 mm
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation or Solid Color
Texture Finish	Smooth, Vented Embossed

Size Specifications

- 5 Inches Exposure
- 12 Feet Length
- 5 Square Feet per unit

Packaging Specification

20 sheets per box = 100 square feet
 1 box = 75 lbs
 30 boxes per pallet = 2,350 lbs

PALLET DIMENSIONS

Length: 146" | Width: 46" | Height: 36"

Available Colors

WOOD IMITATION COLORS

-  **Willow** | Multi-Tone and Single-Tone
-  **Jatoba** | Multi-Tone and Single-Tone
-  **Makore** | Multi-Tone and Single-Tone
-  **Ash** | Multi-Tone and Single-Tone
-  **Smoked Eucalyptus** | Multi-Tone and Single-Tone
-  **Birch** | Single-Tone only
-  **African Ebony** | 1 shade per box


SOLID COLORS

-  **Iron Ore**
-  **Raven Black**
-  **Slate**
-  **White**

ACCREDITATIONS

CAN-CGSB-93.2,
 CAN-CGSB-93.1 Compliant
 AAMA 1402 Compliant
 ASTM E330 Testing in Progress
 ASTM E84 Testing in Progress
 CAN/ULC-S102 Testing in Progress
 Windload Tested until 2000 KPA

5" SMOOTH PLANK - VENTED OPTION



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.76 mm
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation or Solid Color
Texture Finish	Smooth or Embossed

Size Specifications

- 5 Inches Exposure
- 12 Feet Length
- 5 Square Feet per unit

Packaging Specification

20 sheets per box = 100 square feet

1 box = 75 lbs

30 boxes per pallet = 2,350 lbs

PALLET DIMENSIONS

Length: 148" | Width: 46" | Height: 36"

Available Colors

WOOD IMITATION COLORS

-  **Willow** | Multi-Tone and Single-Tone
-  **Jatoba** | Multi-Tone and Single-Tone
-  **Makore** | Multi-Tone and Single-Tone
-  **Ash** | Multi-Tone and Single-Tone
-  **Smoked Eucalyptus** | Multi-Tone and Single-Tone
-  **Birch** | Single-Tone only
-  **African Ebony** | 1 shade per box


SOLID COLORS

-  **Iron Ore**
-  **Raven Black**
-  **Slate**
-  **White**

ACCREDITATIONS

CAN-CGSB-93.2,
CAN-CGSB-93.1 Compliant
AAMA 1402 Compliant
Windload Tested until 2000 KPA

1/2' J-CHANNEL FOR SIDING



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.66 mm
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation or Solid Color
Texture Finish	Smooth

Size Specifications

- 3/4 Inches Exposure
- 12 Feet Length

Packaging Specification

20 units per box = 240 Linear Feet
1 box = 25 lbs

Available Colors



WOOD IMITATION COLORS



SOLID COLORS



MODERN OUTSIDE CORNER



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.76 mm
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation or Solid Color
Texture Finish	Smooth

Size Specifications

- 1.50 Inches Exposure
- 10 Feet Length

Packaging Specification

5 units per box = 50 Linear Feet
1 box = 12 lbs

Available Colors


WOOD IMITATION COLORS



SOLID COLORS



TRADITIONAL OUTSIDE CORNER



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.66 mm
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation or Solid Color
Texture Finish	Smooth

Size Specifications

- 2.5 Inches Exposure
- 10 Feet Length

Packaging Specification

5 units per box = 50 Linear Feet
1 box = 20 lbs


Available Colors

WOOD IMITATION COLORS

-  Willow
-  Jatoba
-  Makor
-  Ash
-  Smoked Eucalyptus
-  Birch
-  African Ebony

SOLID COLORS

-  Iron Ore
-  Raven Black
-  Slate
-  White



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.66 mm
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation or Solid Color
Texture Finish	Smooth

Size Specifications

- 1.50 Inches Exposure
- 10 Feet Length

Packaging Specification

5 units per box = 50 Linear Feet
1 box = 12 lbs

Available Colors


WOOD IMITATION COLORS

-  Willow
-  Jatoba
-  Makor
-  Ash
-  Smoked Eucalyptus
-  Birch
-  African Ebony

SOLID COLORS

-  Iron Ore
-  Raven Black
-  Slate
-  White

TRADITIONAL INSIDE CORNER



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.66 mm
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation or Solid Color
Texture Finish	Smooth

Size Specifications

- 2.5 Inches Exposure
- 10 Feet Length

Packaging Specification

5 units per box = 50 Linear Feet
1 box = 20 lbs

Available Colors


WOOD IMITATION COLORS

-  **Willow**
-  **Jatoba**
-  **Makor**
-  **Ash**
-  **Smoked Eucalyptus**
-  **Birch**
-  **African Ebony**

SOLID COLORS

-  **Iron Ore**
-  **Raven Black**
-  **Slate**
-  **White**

VERTICAL TRANSITION MOULDING



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.66 mm
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation or Solid Color
Texture Finish	Smooth

Size Specifications

- 2 Inches Exposure
- 10 Feet Length

Packaging Specification

5 units per box = 50 Linear Feet
1 box = 12 lbs

Available Colors


WOOD IMITATION COLORS



SOLID COLORS



HORIZONTAL TRANSITION MOULDING



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.66 mm
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation or Solid Color
Texture Finish	Smooth

Size Specifications

• 10 Feet Length

Packaging Specification

5 units per box = 50 Linear Feet
1 box = 12 lbs

Available Colors


WOOD IMITATION COLORS

-  Willow
-  Jatoba
-  Makor
-  Ash
-  Smoked Eucalyptus
-  Birch
-  African Ebony

SOLID COLORS

-  Iron Ore
-  Raven Black
-  Slate
-  White

1 1/4" DRIP CAP



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.66 mm
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation or Solid Color
Texture Finish	Smooth

Size Specifications

- 1.25 Inches Exposure
- 10 Feet Length

Packaging Specification

10 units per box = 100 Linear Feet
1 box = 16 lbs

Available Colors


WOOD IMITATION COLORS



SOLID COLORS



1 3/4' DRIP CAP



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.66 mm
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation or Solid Color
Texture Finish	Smooth

Size Specifications

- 1.75 Inches Exposure
- 10 Feet Length

Packaging Specification

10 units per box = 100 Linear Feet
1 box = 18 lbs

Available Colors


WOOD IMITATION COLORS



SOLID COLORS



VENTED STARTER STRIP



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.55 mm
Type of Paint	Polyester
Coating System	1 coat Transparent primer
Paint Thickness	8 microns
Paint Finish	Transparent Primer
Texture Finish	Smooth

Size Specifications


- 10 Feet Length

Packaging Specification

20 units per box = 200 Linear Feet
1 box = 20 lbs



NON VENTED STARTER STRIP



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.47 mm
Type of Paint	Polyester
Coating System	1 coat Transparent primer
Paint Thickness	8 microns
Paint Finish	Transparent Primer
Texture Finish	Smooth

Size Specifications

• 10 Feet Length

Packaging Specification

25 units per box = 250 Linear Feet
1 box = 30 lbs

Product is shown with paint but will come with or without paint. This is not important as the product is used behind the siding and therefore not visible.



FLATSTOCK 24" X 15M



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.66 mm for woodgrain colors 0.58 mm for solid colors
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation or Solid Color
Texture Finish	Smooth or Embossed

Size Specifications

- 24 Inches Wide
- 15 Meter Length

Packaging Specification

1 unit per box = 98 square feet

1 box ≈ 38 lbs

16 boxes per pallet = 650 lbs

PALLET DIMENSIONS

Length: 48" | Width: 48" | Height: 28"

Available Colors

WOOD IMITATION COLORS


-  Willow
-  Jatoba
-  Makor
-  Ash
-  Smoked Eucalyptus
-  Birch
-  African Ebony

SOLID COLORS

-  Iron Ore
-  Raven Black
-  Slate
-  White

4-PANEL SOFFIT

VENTED OR SOLID



VENTILATION
Soffit Section per Lineal Foot $\approx$ 7.14 sq.in.
Per Square Foot $\approx$ 5.37 sq. in.

Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.41 mm
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation
Texture Finish	Smooth

Size Specifications

- 16 Inches Exposure
- 12 Feet Length
- 16 Square Feet per Unit

Packaging Specification

12 sheets per box = 192 square feet
1 box = 58 lbs
26 boxes per pallet = 1,600 lbs

PALLET DIMENSIONS
Length: 148" | Width: 46" | Height: 36"

Available Colors

WOOD IMITATION COLORS



Ash



Birch



Jatob



Makore




Smoked Eucalyptus



Willow

7/16" J-CHANNEL FOR SOFFIT



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.66 mm
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation
Texture Finish	Smooth

Size Specifications

- 3/4 Inches Exposure
- 12 Feet Length

Packaging Specification

25 units per box = 300 Linear Feet
1 box = 19 lbs

Available Colors

WOOD IMITATION COLORS



Ash



Birch



Jatoba



Makore




Smoked Eucalyptus



Willow

FASCIA BOARD



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.41 mm
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation
Texture Finish	Smooth

Size Specifications

- 6 or 8 Inches Exposure
- 10 Feet Length

Packaging Specification

20 units per box = 200 Linear Feet
 1 box of 6" Fascia = 33 lbs
 1 box of 8" Fascia = 41 lbs

Available Colors

WOOD IMITATION COLORS



Ash



Birch



Jatoba



Makore




Smoked Eucalyptus



Willow

1 1/4' L-TRIM FOR SOFFIT



Aluminum Alloy	Serie AA3xxx
Aluminum Thickness	0.41mm
Type of Paint	M-Series Super Polyester
Coating System	2 to 3 Coats Depending on Color
Paint Thickness	29 to 35 Microns Depending on Color
Paint Finish	Wood Imitation or Solid Color
Texture Finish	Smooth

Size Specifications

- 1.25 Inches Exposure
- 10 Feet Length

Packaging Specification

25 units per box = 250 Linear Feet
1 box = 35 lbs

Available Colors

WOOD IMITATION COLORS



SOLID COLORS





 ALUZION
ARCHITECTURAL SIDING

MONTREAL AND US SALES | Head Office
Saint-André-d'Argenteuil QC
1 866 983-3766
info@oam-inc.ca

HALIFAX | Distribution Center
Bedford NS
902 700-8258
halifax@oam-inc.ca

BARRIE | Distribution Center
Barrie ON
705 721-5532
barrie@oam-inc.ca

TORONTO | Distribution Center
Mississauga ON
1 905 625-6669
mississauga@oam-inc.ca

CAMBRIDGE | Distribution Center
Cambridge ON
519 620-0990
cambridge@oam-inc.ca